•		
	Application No.	Applicant(s)
Notice of Allowability	10/069,218	BEHLING, MICHAEL
	Examiner	Art Unit
	Charles E. Cooley	1723
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. \times This communication is responsive to the preliminary amendment filed 22 FEB 2002. 2. \times The allowed claim(s) is/are 11-20.		
3. The drawings filed on are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No.		
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		
 Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 		
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
8. ☑ CORRECTED DRAWINGS must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No		
(b) ☐ including changes required by the proposed drawing correction filed 22 February 2002, which has been approved by the Examiner.		
(c) ⊠ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1⊠ Notice of References Cited (PTO-892) 3□ Notice of Draftperson's Patent Drawing Review (PTO-948) 5□ Information Disclosure Statements (PTO-1449), Paper No 7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material	4☐ Interview 5 6⊠ Examiner's	nformal Patent Application (PTO-152) Summary (PTO-413), Paper No Amendment/Comment Statement of Reasons for Allowance

Application/Control Number: 10/069,218

Art Unit: 1723

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Alfred Froebrich on 24 OCT 2003.

The application has been amended as follows:

In the Title:

Change the title to read:

--CYLINDER FOR A TWIN-SCREW EXTRUDER WITH A HELICAL CHANNEL OF VARYING DEPTH--.

In the Claims:

Claim 13, line 1: replace "channels" with -at least one channel--.

Claim 19, line 3: replace "rage" with -range--;

Line 4: replace "channels" with -at least one channel --.

Claim 20, line 3: replace "channels" with -channel--.

Application/Control Number: 10/069,218

Art Unit: 1723

The above changes were made to provide a more descriptive and to render the claim language consistent regarding the at least one channel.

Drawings

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

The drawing correction of 22 FEB 2002 is approved. Applicant will file formal drawings which incorporate the approved changes in the drawing correction.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or fairly suggest the recited cylinder and mantle wherein the cylinder has a helical channel of varying depth formed on an outer side thereof for allowing a flow of a tempering medium from the inlet to the outlet of the mantle.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/069,218

Art Unit: 1723

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (703) 308-0112. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker can be reached on (703) 308-0457. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

Charles E. Cooley Primary Examiner Art Unit 1723

29 October 2003